

Distance between trees (m)

Questionnaire for Field Measurements Prunings

Field data (Each questionnaire refers to one crop species cultivated per field)

Municipality:	Carpingalo Sal.				
Latitude :	40.2332				
Longitude :	18.3551				
Brindisi Lecce Porto Cesareo Gallipoli Google	Otranto Map data ©20	018 Google			
Field Size (ha)					
Crop Species	olives peache cherrie grapef	es [vineyards apricot oranges hazelnuts	apples nectarine tangerine chestnut	es lemons
Variety of crop		Leccino			
Age of crop		20			
Density of crop (trees/ha)		300			
Width between cultivated	rows (m)	7.0			

5.0

Crop forms for vineyard Espalier Marquee Vase Crop forms for Olive Ancient olives Vase (1 stem) Vase (2-3 Bush stems from soil) (intensive 250-600 trees/ha) Superintensive (>1500 trees/ha) Crop forms for fruit trees Natural Vase Bush/Globe Spindle/Pyramid (very small trees) Palm/Fan Epsylon

transversal

Soil Cover





Seasonal occurence. Herbicides+mowing <50% soil cover



>50% grass cover. Mowed several times per year

Crop Yield						
Average Crop yield (t/ha)	5.0					
Crop yield before measurement (t/ha) Ammount of product obtained for the year that the pruning measurement is perfomed in tonnes per hectare						
Irrigation	rain fed	partial irrigation	fully irrigated			
Intensification degree Specify the amount of fertilizer and pesticides	organic high	✓ low	intermediate			
Pruning Operations Performed (prior to measurement)						
Type of pruning	Maintenance Structuring Removal of old bran	✓ To	afting pping poming			
Pruning Method	Only manually	Mechanised pre- pruning + manual	Fully mechanised			
Pruning Operations Specify the pruning operations that are carried out. Check as many as apply.	Manually shears pre-pruner:hedge trimmer	Assisted shears Pre-pruner:discs	Chainsaw/ armchainsaw pre-pruning topping			

Season of pruning Check as many as apply	☐ January ☐ May ☐ September	February June October	March July November	April August December
Frequency of pruning	annual	biannual	J biennial	Once per years
Was this type of pruning performed as usual?	Yes, it was performed as usual	No, less inte	nse No, mor than usual	re intense
Describe the ammount of prunings produced compared to other years	Much Less More	Less Much more	Same	
Reason for different ammount of prunings produced ?	Pruning Intensity Weather	у	Accumulation of pre	vious years

	Pri	uning Measure	ment	
D . (1)		armig mededie		
Date of Measurement (DD/MM/YY)	18/03/17		_	
Mode of measurement Specify the method used for pruning	Per tree			
measurement				
	One or seve	eral single trees	selected. Biomass per tree collected manually a	and
	Number of t	trees: 340		
	Per parcel (e.g.	100m2) in bags	s	
		7.		
	One or several parcels selected. Each parcel several trees. Biomass per parcel collected manually and weighted			
	Per several rows	s (or in whole fi	ield)	
			field is selected.	
	Biomass collecte	ed and loaded to	o a truck. Weight of the load taken ia a scale for	trucks
Ammount of prunings obtained (t/ha) Specify the tonnes per hectare of pruning from the crop		13	Losses of prunings that weren't harvested (t/ha)	
How many days the prunings were on measuring (days)	soil before	30		
Moisture content (%)		30		
Specify the moisture content (%) of the b collected if available	iomass			

Contact Data

Name : Fernando Sicuro

Email : Fernandosicuro@libero.it

Phone: 330437964

Profession : Agricoltore

Country: Italy

References-External links:Provide references on which the information is based on or highlight any comments

uP_running project field measurement performed by DARe.



Photos



