

Field data (Each questionnaire refers to one crop species cultivated per field)

Municipality : Vinnopôle Sud-ouest, Brame-
 Latitude : Aigues - 81310 Lisle sur Tarn
 43.842668
 Longitude : 1.861610



Field Size (ha) _____

Crop Species

| | | | |
|-------------------------------------|---|-------------------------------------|----------------------------------|
| <input type="checkbox"/> olives | <input checked="" type="checkbox"/> vineyards | <input type="checkbox"/> apples | <input type="checkbox"/> pears |
| <input type="checkbox"/> peaches | <input type="checkbox"/> apricot | <input type="checkbox"/> nectarine | <input type="checkbox"/> plum |
| <input type="checkbox"/> cherries | <input type="checkbox"/> oranges | <input type="checkbox"/> tangerines | <input type="checkbox"/> lemons |
| <input type="checkbox"/> grapefruit | <input type="checkbox"/> hazelnuts | <input type="checkbox"/> chestnuts | <input type="checkbox"/> almonds |

Variety of crop Duras

Age of crop 19

Density of crop (trees/ha) 4500

Width between cultivated rows (m) 2.20

Distance between trees (m) 1.0

Crop form

Crop forms for vineyard



- Vase
- Guyot simple



- Espalier



- Marquee

Crop forms for Olive



- Ancient olives



- Vase (1 stem)



- Vase (2-3 stems from soil)



- Bush (intensive 250-600 trees/ha)



- Superintensive (>1500 trees/ha)

Crop forms for fruit trees



- Natural



- Vase



- Bush/Globe (very small trees)



- Spindle/Pyramid



- Palm/Fan



- Epsilon transversal

Slope (%)

5

Soil Cover



Bare.No grass cover.
Tillage several times per
year



Seasonal occurrence.
Herbicides+mowing <50%
soil cover



>50% grass cover.
Mowed several times per
year



100% Grass cover.
Mowed several times per
year

Crop Yield

Average Crop yield (t/ha) _____

Crop yield before measurement (t/ha) _____

Amount of product obtained for the year that the pruning measurement is performed in tonnes per hectare

Irrigation rain fed partial irrigation fully irrigated

Intensification degree organic low intermediate
Specify the amount of fertilizer and pesticides high

Pruning Operations Performed (prior to measurement)

Type of pruning Maintenance Grafting
 Structuring Topping
 Removal of old branches Blooming

Pruning Method Only manually Mechanised pre-pruning + manual Fully mechanised

Pruning Operations
Specify the pruning operations that are carried out. Check as many as apply.



Manually shears



Assisted shears



Chainsaw/armchainsaw



pre-pruner:hedge trimmer



pre-pruner:discs



pre-pruning topping

Season of pruning
Check as many as apply

- | | | | |
|---|--|-----------------------------------|--|
| <input checked="" type="checkbox"/> January | <input checked="" type="checkbox"/> February | <input type="checkbox"/> March | <input type="checkbox"/> April |
| <input type="checkbox"/> May | <input type="checkbox"/> June | <input type="checkbox"/> July | <input type="checkbox"/> August |
| <input type="checkbox"/> September | <input type="checkbox"/> October | <input type="checkbox"/> November | <input checked="" type="checkbox"/> December |

Frequency of pruning

- | | | | |
|--|-----------------------------------|-----------------------------------|---|
| <input checked="" type="checkbox"/> annual | <input type="checkbox"/> biannual | <input type="checkbox"/> biennial | <input type="checkbox"/> Once per years |
|--|-----------------------------------|-----------------------------------|---|

Was this type of pruning performed as usual ?

- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Yes, it was performed as usual | <input type="checkbox"/> No, less intense than usual | <input type="checkbox"/> No, more intense than usual |
|--|--|--|

Describe the ammount of prunings produced compared to other years

- | | | |
|------------------------------------|------------------------------------|--|
| <input type="checkbox"/> Much Less | <input type="checkbox"/> Less | <input checked="" type="checkbox"/> Same |
| <input type="checkbox"/> More | <input type="checkbox"/> Much more | |

Reason for different ammount of prunings produced ?

- | | |
|--|---|
| <input type="checkbox"/> Pruning Intensity | <input type="checkbox"/> Accumulation of previous years |
| <input type="checkbox"/> Weather | |

Pruning Measurement

Date of Measurement
(DD/MM/YY)

25/1/18

Mode of measurement

Specify the method used for pruning measurement

Per tree



One or several single trees selected. Biomass per tree collected manually and weighted

Per parcel (e.g. 100m²) in bags



One or several parcels selected. Each parcel several trees. Biomass per parcel collected manually and weighted

Total Area measured (m²) : 26.4

Per several rows (or in whole field)



On large parcel, or a whole field is selected. Biomass collected and loaded to a truck. Weight of the load taken on a scale for trucks

Amount of prunings obtained (t/ha)

Specify the tonnes per hectare of prunings collected from the crop

1.79

Losses of prunings that weren't harvested (t/ha)

0.05

How many days the prunings were on soil before measuring (days)

15

Moisture content (%)

Specify the moisture content (%) of the biomass collected if available

50

Contact Data

Name : Téo Vogel

Email : tvogel.devt@gmail.com

Phone : 648337172

Profession :

Country : France

This cultivation is experimental.

uP_running project field measurement performed by SCDF.

Les mesures au champ Up_running ont été réalisées par Services Coop de France.



Photos

